

ORDINANCE NO. 2020-

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF SAN MARCOS, TEXAS ANNEXING INTO THE CITY APPROXIMATELY 56.923 ACRES OF LAND OUT OF THE JOHN WILLIAMS SURVEY, ABSTRACT 490, HAYS COUNTY, BEING PHASE 1, SECTION 2 OF THE LA CIMA DEVELOPMENT, GENERALLY LOCATED WEST OF THE INTERSECTION OF OLD RANCH ROAD 12 AND WONDER WORLD DRIVE; INCLUDING PROCEDURAL PROVISIONS; AND PROVIDING AN EFFECTIVE DATE.

RECITALS:

1. Pursuant to the terms of a development agreement with the City, the owner of approximately 56.923 acres of land out of the John Williams Survey, Abstract 490, Hays County, being Phase 1, Section 2 of the La Cima Development, generally located west of the intersection of Old Ranch Road 12 and Wonder World Drive, as further described in Exhibit "A," attached hereto and incorporated herein for all purposes (the "Property"), made a request for the City to annex the Property.
2. Said owner and the City have entered into a written agreement for the provision of services to the Property.
3. The Property is contiguous and adjacent to the current boundaries of the City.
4. The City Council held a public hearing regarding the request.
5. The City Council hereby finds and determines that the adoption of the following ordinance is in the interest of the public health, morals, welfare and safety.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF SAN MARCOS, TEXAS:

SECTION 1. The recitals of this ordinance are approved and adopted.

SECTION 2. The Property is annexed to and is a part of the City of San Marcos, Texas and subject to the acts, ordinances, resolutions and regulations of the City.

SECTION 3. Services to the Property will be provided under the terms of the written agreement for the provision of services entered into between the owner of the Property and the City as noted in Recital 2.

SECTION 4. The corporate limits of the City are extended to include the Property.

SECTION 5. The inhabitants of the Property are entitled to all the rights and privileges of other citizens of the City, and are bound by the acts, ordinances, resolutions and regulations of

the City.

SECTION 6. If any word, phrase, clause, sentence, or paragraph of this ordinance is held to be unconstitutional or invalid by a court of competent jurisdiction, the other provisions of this ordinance will continue in force if they can be given effect without the invalid portion.

SECTION 7. All ordinances and resolutions or parts of ordinances or resolutions in conflict with this ordinance are repealed.

SECTION 8. This ordinance shall be effective upon its adoption on second reading.

PASSED AND APPROVED on first reading on February 18, 2020.

PASSED, APPROVED AND ADOPTED on second reading on March 3, 2020.

Jane Hughson
Mayor

Attest:

Approved:

Tammy K. Cook
Interim City Clerk

Michael Cosentino
City Attorney

EXHIBIT "A"

Property Description

56.923 Acres
John Williams Survey, A-490,
Hays County, Texas

Job No. 5956-01-001
FN2327(jb)
Page 1 of 4

FIELD NOTES DESCRIPTION

DESCRIPTION OF 56.923 ACRES OF LAND IN THE JOHN WILLIAMS SURVEY, A-490, HAYS COUNTY, TEXAS, BEING A PORTION OF A CERTAIN CALLED 58.636 ACRE TRACT DESCRIBED IN THE DEED TO LCSM PH. 1-2, LLC OF RECORD IN INSTRUMENT NO. 17017222, OFFICIAL PUBLIC RECORDS OF HAYS COUNTY, TEXAS; SIAD 58.636 ACRE TRACT BEING A PORTION OF A CERTAIN CALLED 649.592 ACRE TRACT DESCRIBED IN THE DEED TO LAZY OAKS RANCH, LP OF RECORD IN VOLUME 4877, PAGE 632, OFFICIAL PUBLIC RECORDS OF HAYS COUNTY, TEXAS; SAID 56.923 ACRES OF LAND AS SURVEYED BY BOWMAN CONSULTING GROUP, LTD., BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING at a ½-inch iron rod with a plastic cap stamped "BCG" set in the southeast line of the said 649.592 acre tract and the northwest line of a certain called 311.74 acre tract described in the deed to Claud Kern Wildenthal of record in Volume 1385, Page 398, Official Public Records of Hays County, Texas, for the south corner of a certain called 5.000 acre tract described in Exhibit C, reservation for exploration, exploitation and/or production of oil/gas or minerals, of record in said Volume 4877, Page 632, Official Public Records of Hays County, Texas, for a northeast corner of the said 58.636 acre tract and for a northeast corner and **POINT OF BEGINNING** of the tract described herein, from which a ½-inch iron rod with a plastic cap stamped "BCG" previously set at an angle point in the southeast line of the said 649.592 acre tract and the northwest line of the said 311.74 acre tract bears N 45°32'23" E, a distance of 836.08 feet;

THENCE S 45°32'23" W, with the southeast line of the said 58.636 acre tract and the northwest line of the said 311.74 acre tract, with the southeast line of the tract described herein, a distance of 1,011.20 feet to a ½-inch iron rod with a plastic cap stamped "BCG" set for the south corner of the said 58.636 acre tract and of the tract described herein, from which a 6-inch cedar fence post found at an angle point in the southeast line of the said 649.592 acre tract and the northwest line of the said 311.74 acre tract bears S 45°32'23" W, a distance of 5,336.80 feet;

THENCE N 08°46'59" W leaving the northwest line of the said 311.74 acre tract, crossing the said 649.592 acre tract, with the west line of the said 58.636 acre tract and of the tract described herein a distance of 269.69 feet to a ½-inch iron rod with a plastic cap stamped "BCG" set for an angle point in the west line of the tract described herein;

THENCE crossing the said 58.636 acre tract and continuing across the said 649.592 acre tract, with the west line of the tract described herein, the following eight (8) courses and distances:

1. N 00°55'44" W, a distance of 241.78 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point,
2. N 01°43'52" W, a distance of 88.35 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point,
3. N 09°27'36" W, a distance of 130.16 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point,
4. N 12°02'57" W, a distance of 320.26 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point,
5. N 24°03'48" W, a distance of 137.75 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point,
6. N 29°44'01" W, a distance of 172.57 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point,
7. N 36°16'25" W, a distance of 99.57 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point, and

8. N 43°14'53" W, a distance of 82.50 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set in the southeast right-of-way line of West Centerpoint Road, a variable-width right-of-way, called 45.839 acres and described in the street deed to Hays County, Texas, of record in Volume 5310, Page 161, Official Public Records of Hays County, Texas, for the northwest corner of the tract described herein;

THENCE continuing across the said 649.592 acre tract, with the southeast right-of-way line of said West Centerpoint Road, with the northwest line the said 58.636 acre tract and of the tract described herein, the following twenty (20) courses and distances:

1. N 13°47'53" E, a distance of 162.99 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point of non-tangent curvature,
2. with the arc of a curve to the left, having a radius of 1,015.00 feet, an arc length of 55.59 feet, and a chord which bears N 39°06'44" E, a distance of 55.58 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point of reverse-curvature,
3. with the arc of a curve to the right, having a radius of 20.00 feet, an arc length of 29.76 feet, and a chord which bears N 80°10'00" E, a distance of 27.09 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point,
4. N 36°21'31" E, a distance of 60.12 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point of non-tangent curvature,
5. with the arc of a non-tangent curve to the right, having a radius of 20.00 feet, an arc length of 31.61 feet, and a chord which bears N 11°56'15" W, a distance of 28.42 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point-of-tangency,
6. N 33°20'06" E, a distance of 34.25 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point,
7. N 41°29'53" E, a distance of 22.65 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point-of-curvature,
8. with the arc of a non-tangent curve to the left, having a radius of 250.00 feet, an arc length of 89.33 feet, and a chord which bears N 31°15'40" E, a distance of 88.86 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point-of-tangency,
9. N 33°20'06" E, a distance of 323.11 feet to a ½-inch iron rod with plastic cap stamped "BCG" set for a point-of-curvature,
10. with the arc of a curve to the left, having a radius of 1,535.00 feet, an arc length of 269.37 feet, and a chord which bears N 28°18'28" E, a distance of 269.02 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point-of-tangency,
11. N 23°16'50" E, a distance of 106.62 feet to a ½-inch iron rod with a plastic cap stamped "BCG" previously set for a point-of-curvature,
12. with the arc of a curve to the right, having a radius of 20.00 feet, an arc length of 31.42 feet, and a chord which bears N 68°16'50" E, a distance of 28.28 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point,
13. N 23°16'50" E, a distance of 60.00 feet a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point of non-tangent curvature,
14. with the arc of a curve to the right, having a radius of 20.00 feet, an arc length of 31.42 feet, and a chord which bears N 21°43'10" W, a distance of 28.28 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point-of-tangency,

15. N 23°16'50" E, a distance of 140.14 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point-of-curvature,
16. with the arc of a curve to the right, having a radius of 715.00 feet, an arc length of 632.32 feet, and a chord which bears N 48°36'56" E, a distance of 611.91 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point of compound-curvature,
17. with the arc of a curve to the right, having a radius of 20.00 feet, an arc length of 32.85 feet, and a chord which bears S 59°00'02" E, a distance of 29.28 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for an angle point,
18. N 77°50'53" E, a distance of 60.00 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point of non-tangent curvature,
19. with the arc of a curve to the right, having a radius of 20.00 feet, an arc length of 32.32 feet, and a chord which bears N 34°20'37" E, a distance of 28.92 feet to a ½-inch iron rod with plastic cap stamped "BCG" previously set for a point-of-tangency, and
20. N 80°38'20" E, a distance of 262.13 feet to a ½-inch iron rod with plastic cap stamped "BCG" set for the northerly northeast corner of the tract described herein, from which a ½-inch iron rod with a plastic cap stamped "BCG" previously set for the northeast corner of the said 58.636 acre tract bears N 80°38'20" E, a distance of 13.06 feet;

THENCE leaving the southeast right-of-way line of said West Centerpoint Road and crossing the said 58.636 acre tract, with the east line of the tract described herein, the following five (5) courses and distances:

1. S 03°11'10" W, a distance of 1,461.22 feet to a ½-inch iron rod with a plastic cap stamped "BCG" set for an angle point,
2. S 13°10'56" W, a distance of 91.81 feet to a ½-inch iron rod with a plastic cap stamped "BCG" set for an angle point,
3. S 22°56'08" W, a distance of 39.67 feet to a ½-inch iron rod with a plastic cap stamped "BCG" set for an angle point,
4. S 22°14'34" W, a distance of 53.71 feet to a ½-inch iron rod with a plastic cap stamped "BCG" set for an angle point, and
5. S 22°05'52" W, a distance of 63.16 feet to a ½-inch iron rod with a plastic cap stamped "BCG" set in the north line of the said 5.000 acre tract, same being an angle point in the east line of the tract described herein;

THENCE continuing across the said 649.592 acre tract, with the north and west lines of the said 5.000 acre tract, with a southeast and northeast line of the said 58.636 acre tract and of the tract described herein, the following two (2) courses and distances:

1. S 45°32'23" W, a distance of 663.91 feet to a ½-inch iron rod with a plastic cap stamped "BCG" set for the west corner of the said 5.000 acre tract, same being a re-entrant corner of the tract described herein, and
2. S 44°27'37" E, a distance of 400.00 feet to the **POINT OF BEGINNING** and containing 56.923 acres of land, more or less.

BEARING BASIS: Texas Coordinate System, South Central Zone, NAD83, Grid.

BOWMAN WORD FILE: FN2327(jb)
H:\Survey\FieldNotes\FN-2000s\FN2327(jb).doc

56.923 Acres
John Williams Survey, A-490,
Hays County, Texas

Job No. 5956-01-001
FN2327(jb)
Page 4 of 4

THE STATE OF TEXAS
COUNTY OF TRAVIS


§
§
§

KNOW ALL MEN BY THESE PRESENTS

That I, John D. Barnard, a Registered Professional Land Surveyor, do hereby certify that the above description is true and correct to the best of my knowledge and belief and that the property described herein was determined by a series of surveys made on the ground during the months of December 2013 through December 2019, under my direction and supervision.


WITNESS MY HAND AND SEAL at Austin, Travis County, Texas, on this 30th day of December 2019 A.D.

Bowman Consulting Group, Ltd.
Austin, Texas 78746




John D. Barnard
Registered Professional Land Surveyor
No. 5749 – State of Texas

LA CIMA PHASE I, SECTION 2 FINAL PLAT



- LEGEND**
- 1/2" IRON ROD W/ PLASTIC CAP STAMPED "TOP" (STAKE) - SET
 - 1/2" IRON ROD W/ PLASTIC CAP STAMPED "BOTTOM" (NO STAKE) - FOUND
 - 1/2" IRON ROD W/ PLASTIC CAP STAMPED "TOP" - SET
 - 1/2" IRON ROD W/ PLASTIC CAP STAMPED "BOTTOM" - FOUND
 - △ SPLIT-GATE ROBOT
 - △ BENCHMARK
 - () RECORD INFORMATION
 - FEED RECORD BY HAYS COUNTY, TEXAS
 - P.R.H.C.T.X. 1/4" SUCCESSION MAPS COUNTY, TEXAS
 - R.P.R.H.C.T.X. REAL PROPERTY RECORDS OF HAYS COUNTY, TEXAS
 - O.P.R.H.C.T.X. OFFICIAL PUBLIC RECORDS OF HAYS COUNTY, TEXAS
 - P.U.E. PUBLIC UTILITY EASEMENT
 - PREPARED SEPARATE LOCATION PLAT EASEMENT LINE
 - D.E. DRAINAGE EASEMENT
- NOTE: SEE SHEET 4 OF 4 FOR LINE AND CURVE TABLES.



FILE NO.	17-12	PLAT NO.	1207
DATE	03/15/19	ORDERED BY	LA CIMA
DRAWN BY	DRWING & P.L.	DATE	03/15/19
BY	BY	DATE	


Bowman CONSULTING

Bowman Consulting Group, Ltd.
10216 Cedar Elm Road, Suite 300, Austin, TX 78758
Phone: 512.577.1400 Fax: 512.235.6900
www.bowmanconsulting.com | Bowman Consulting Group, Ltd.
TSPS Firm No. F-14309 | TSPS Firm No. 101206-00

FINAL PLAT
LA CIMA
PHASE I, SECTION 2
JOHN WILLIAMS SURVEY, ABSTRACT 490
HAYS COUNTY, TEXAS

SHEET 2 OF 4
PLAN #: 1207

LA CIMA PHASE I, SECTION 2 FINAL PLAT



MARCH, 2019
HAYS COUNTY, TEXAS

LEGEND

- 1/2" BENCH MARK BY PLASTER CAR SHAVING "S&W" REFERENCE 581
- 1/2" BENCH MARK BY PLASTER CAR STAMPED "XXXX" (43) SHAWNEE TOWER
- 1/2" BENCH MARK BY PLASTER CAR STAMPED "XXXX" (43) SHAWNEE TOWER
- △ CONCRETE PILE
- BENCHMARK
- () OTHER INFORMATION
- D.H.C.T.X. FIELD RECORDS OF HAYS COUNTY, TEXAS
- P.R.I.C.T.X. PLAT RECORDS OF HAYS COUNTY, TEXAS
- R.P.R.H.C.T.X. REAL PROPERTY RECORDS OF HAYS COUNTY, TEXAS
- O.P.R.H.C.T.X. OFFICIAL RECORD RECORDS OF HAYS COUNTY, TEXAS
- VARIOUS LOT
- P.U.K. PUBLIC UTILITY ESTABLISHMENT
- PROPOSED SURVEYOR LOCATION
- STATE ROADWAY LINE
- D.E. ESTATE DEED

NOTE: SEE SHEET 4 OF 4 FOR LINE AND CURVE TABLES.

BENCHMARK US1: BMV: 88 DAVIS
 BM 5956-16
 1/2" BENCH MARK
 ELEVATION = 750.29 FEET
 BM 5956-48
 1/2" BENCH MARK
 ELEVATION = 761.78 FEET
 BM 5956-16
 1/2" BENCH MARK
 ELEVATION = 826.12 FEET

- NOTES:**
1. BEARING BASIS IS TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE, NAD83, UTM.
 2. DISTANCES SHOWN HEREIN ARE BASED ON SUBREADJUSTMENTS TO CORRECT SURFACE DISTANCES TO GRID, MULTIPLY BY THE CORRECTED SCALE FACTOR.
 3. COORDINATES SHOWN HEREIN ARE TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE, NAD83, UTM.
 4. THE COMBINED SCALE FACTOR FOR THIS PROJECT IS 0.999975.
 5. ROADS WILL BE MAINTAINED BY CITY OF SAN MARCOS AFTER FINAL APPROVAL AND ACCEPTANCE.

DATE	BY	CHKD	DATE
03/15/19	J. B. BOWMAN	C. B. BOWMAN	03/15/19
DATE	BY	CHKD	DATE
03/15/19	J. B. BOWMAN	C. B. BOWMAN	03/15/19

Bowman CONSULTING

Bowman Consulting Group, L.P.
 11000 Capital Blvd, Suite 100, San Marcos, TX 78666
 (512) 788-1100
 www.bowmanconsulting.com

FINAL PLAT
 LA CIMA
 PHASE I, SECTION 2
 JOHN WILLIAMS SURVEY, ABSTRACT 490
 HAYS COUNTY, TEXAS