

Section 7.2.2.3 Use Protective Yard.

A use protective yard may also be required along perimeter lot lines for specific uses in accordance with Chapter 5.

Section 7.2.2.4 Protective Yard Installation Requirements

- A. The tables below prescribe the minimum width, screening, and landscaping requirements for each protective yard type.

FIGURE 7.12 TYPE A AND B PROTECTIVE YARDS




TABLE 7.7 TYPE A AND B PROTECTIVE YARD STANDARDS

	TYPE A	TYPE B
Depth (min)	6 ft.	10 ft.
Fence Height (min)	Not Allowed	6 ft.
Wall Height (min)	6 ft.	Not Required
Shade Trees (min per 100 ft.)	--	4
Understory Trees (min per 100 ft.)	4	4
Shrubs (min per 100 ft.)	--	--

FIGURE 7.13 TYPE C AND D PROTECTIVE YARDS



TABLE 7.8 TYPE C AND D PROTECTIVE YARD STANDARDS

	TYPE C	TYPE D
Depth (min)	20 ft.	35 ft.
Fence Height (min)	Not Allowed	6 ft.
Wall Height (min)	6 ft.	Not Required
Shade Trees (min per 100 ft.)	4	6
Understory Trees (min per 100 ft.)	4	6
Shrubs (min per 100 ft.)	40	60

B. Location

1. A required protective yard must be located within the outer perimeter of the lot, parallel to and extending to the property boundary line. A required protective yard must be provided along the entire frontage immediately abutting the property line. Landscaping must be planted on the inside of the required protective yard.

FIGURE 7.14 LOCATION OF PROTECTIVE YARD

