



CONTRACT PRICING WORKSHEET
For MOTOR VEHICLES Only

Contract
No.:

HT06-20

Date
Prepared:

4/5/2021

**This Worksheet is prepared by Contractor and given to End User. If a PO is issued, both documents
MUST be faxed to H-GAC @ 713-993-4548 and to Contractor.**

| | | | |
|-----------------|--------------------------|--------------|-------------------------------|
| Buying Agency: | City of San Marcos | Contractor: | Santex Truck Centers, Ltd. |
| Contact Person: | Shawn Wolfshohl | Prepared By: | Carlos Weeber |
| Phone: | (512) 393-8019 | Phone: | (832) 642-1729 (713) 933-2396 |
| Fax: | | Fax: | (210) 661-0226 |
| Email: | swolfohl@sanmarcostx.gov | Email: | cweeber@kyrishtrucks.com |

| | | | |
|---------------|-----------|--------------|--------------------------|
| Product Code: | HT06-20F5 | Description: | HV507Conv. Cab SFFA, SRA |
|---------------|-----------|--------------|--------------------------|

A. Product Item Base Unit Price Per Contractor's H-GAC Contract: 58228

B. Published Options - Itemize below - Attach additional sheet(s) if necessary - Include Option Code in description if applicable.
(Note: Published Options are options which were submitted and priced in Contractor's bid.)

| Description | Cost | Description | Cost |
|--|--------|------------------------------------|--------|
| 1570 Tow Hook Front | 84 | | |
| 12ERL Engine Diesel Cummins B6.7 EPA 2021 | 4904 | | |
| 13AVJ Transmission Automatic Allison 3000RDS | 10451 | | |
| 14AWK Axle Rear Single 23K Capacity | 1719 | | |
| | | | |
| Bergkamp Contract SM10-20 Quote | 127980 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | Subtotal From Additional Sheet(s): | |
| | | Subtotal B: | 145138 |

C. Unpublished Options - Itemize below / attach additional sheet(s) if necessary.
(Note: Unpublished options are items which were not submitted and priced in Contractor's bid.)

| Description | Cost | Description | Cost |
|---|------|------------------------------------|------|
| Customer Required Published & Unpublished Options for | | | |
| Patcher application | 10 | Subtotal From Additional Sheet(s): | |
| | | Subtotal C: | 10 |

| | | |
|---|--|----|
| Check: Total cost of Unpublished Options (C) cannot exceed 25% of the total of the Base Unit Price plus Published Options (A+B). | For this transaction the percentage is: | 0% |
|---|--|----|

D. Total Cost Before Any Applicable Trade-In / Other Allowances / Discounts (A+B+C)

| | | | | | | |
|-------------------|---|--------------------------|--------|---|-------------|--------|
| Quantity Ordered: | 1 | X Subtotal of A + B + C: | 203376 | = | Subtotal D: | 203376 |
|-------------------|---|--------------------------|--------|---|-------------|--------|

| | | |
|---|-------------|------|
| E. H-GAC Order Processing Charge (Amount Per Current Policy) | Subtotal E: | 1000 |
|---|-------------|------|

F. Trade-Ins / Special Discounts / Other Allowances / Freight / Installation / Miscellaneous Charges

| Description | Cost | Description | Cost |
|-------------|------|-------------|------|
| | | | |
| | | | |
| | | | |
| | | Subtotal F: | 0 |

| | | |
|-----------------------|---|--------|
| Delivery Date: | G. Total Purchase Price (D+E+F): | 204376 |
|-----------------------|---|--------|

**CONTRACT PRICING WORKSHEET**
For Catalog & Price Sheet Type Purchases**Contract**
No.:

SM10-20

Date
Prepared:

*This Worksheet is prepared by Contractor and given to End User. If a PO is issued, both documents **MUST** be faxed to H-GAC @ 713-993-4548. Therefore please type or print legibly.*

| | | | |
|------------------------|----------------------------|---------------------|---------------------------|
| Buying Agency: | City of San Marcos | Contractor: | Bergkamp Inc. |
| Contact Person: | Attention: Shawn Wolfshohl | Prepared By: | Jennifer Straus |
| Phone: | | Phone: | 254-717-3664 |
| Fax: | | Fax: | |
| Email: | streets@willcox.az.gov | Email: | jennifers@bergkampinc.com |

| | |
|--|--------------------------------|
| Catalog / Price Sheet Name: | |
| General Description of Product: | BERGKAMP FP5 FLAMELESS PATCHER |

A. Catalog / Price Sheet Items being purchased - Itemize Below - Attach Additional Sheet If Necessary

| Quan | Description | Unit Pr | Total |
|---|---|-------------|--------|
| 1 | Bergkamp FP5 Flameless Patcher to include 2nd motor on auger and InPave Telematics System | \$91,521.00 | 91521 |
| | | | 0 |
| 1 | Mounting, wet spline pto and variable volume pressure compensated pump | \$5,800.00 | 5800 |
| 1 | Ten Light Arrowboard LED | \$1,950.00 | 1950 |
| 1 | Pedestal mounted LED strobe light | \$750.00 | 750 |
| 1 | Wacker Packer Vibratory Plate Compactor VP1550AW | \$4,853.00 | 4853 |
| 1 | Stanley BR67 Pavement Breaker | \$3,451.00 | 3451 |
| 1 | Cone holder | \$235.00 | 235 |
| 1 | Pivot Tack System | 3,200.00 | 3200 |
| 1 | Back up camera with back chat and night vision | \$1,950.00 | 1950 |
| | | | 0 |
| | | | 0 |
| Total From Other Sheets, If Any: | | | |
| Subtotal A: | | | 113710 |

B. Unpublished Options, Accessory or Service items - Itemize Below - Attach Additional Sheet If Necessary

(Note: Unpublished Items are any which were not submitted and priced in contractor's bid.)

| Quan | Description | Unit Pr | Total |
|---|------------------------|-----------|-------|
| 1 | Swing Auger Attachment | 11,300.00 | 11300 |
| 1 | tool holder | 220.00 | 220 |
| | | | 0 |
| | | | 0 |
| Total From Other Sheets, If Any: | | | |
| Subtotal B: | | | 11520 |

Check: Total cost of Unpublished Options (B) cannot exceed 25% of the total of the Base Unit Price plus Published Options (A+B).**For this transaction the percentage is:**

10%

C. Other Allowances, Discounts, Trade-Ins, Freight, Make Ready or Miscellaneous Charges

| | |
|---|----------|
| Delivery and training | 2,750.00 |
| PLEASE NOTE THAT THIS PRICE DOES NOT INCLUDE COST OF TRUCK- COMPATIBLE FREIGHTLINER CAB AND CHASS | |
| ESTIMATED TO QUOTE AT \$73,000+/- FIRM QUOTE WILL BE FORWARDED ALONG TO YOU AS SOON AS IT IS AVAILAB | |
| Subtotal C: | 2750 |

Delivery Date: TBD**D. Total Purchase Price (A+B+C):**

127980

Prepared For:
 CITY OF SAN MARCOS
 Shawn Wolfshohl
 630 E Hopkins St.
 San Marcos, TX 78666-6300
 (512)393 - 8174
 Reference ID: N/A

Presented By:
 LONGHORN INT'L TRCKS LTD
 Richard Woerndell
 5010 Burleson Rd.
 AUSTIN TX 78744 -
 (512)389-1111

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2022 HV507 SFA (HV507)

| | |
|----------------------------------|---|
| AXLE CONFIG: | 4X2 |
| APPLICATION: | Dry Van |
| MISSION: | Requested GVWR: 35000. Calc. GVWR: 35000 Calc. Start / Grade Ability: 24.49% / 1.87% @ 55 MPH Calc. Geared Speed: 87.0 MPH |
| DIMENSION: | Wheelbase: 201.00, CA: 126.00, Axle to Frame: 43.00 |
| ENGINE, DIESEL: | {Cummins B6.7 300} EPA 2021, 300HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 300 Peak HP (Max) |
| TRANSMISSION, AUTOMATIC: | {Allison 3000 RDS} 5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway |
| CLUTCH: | Omit Item (Clutch & Control) |
| AXLE, FRONT NON-DRIVING: | {Dana Spicer E-1202W} Wide Track, I-Beam Type, 12,000-lb Capacity |
| AXLE, REAR, SINGLE: | {Dana Spicer S23-172D} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends Gear Ratio: 4.78 |
| CAB: | Conventional, Day Cab |
| TIRE, FRONT: | (2) 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position |
| TIRE, REAR: | (4) 11R22.5 Load Range H R268 ECOPIA (BRIDGESTONE), 500 rev/mile, 75 MPH, All-Position |
| SUSPENSION, REAR, SINGLE: | 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs |
| PAINT: | Cab schematic 100WK Location 1: 9219, Winter White (Std) Chassis schematic N/A |

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| HV50700 | Base Chassis, Model HV507 SFA with 201.00 Wheelbase, 126.00 CA, and 43.00 Axle to Frame. |
| 1570 | TOW HOOK, FRONT (2) Frame Mounted |
| 1ANA | AXLE CONFIGURATION {Navistar} 4x2 |
| | <u>Notes</u> : Pricing may change if axle configuration is changed. |
| 1CAG | FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL |
| 1LNR | BUMPER, FRONT Swept Back, Steel, Painted 0001 Canyon Black, Heavy Duty |
| 1MEJ | FRAME, SPECIAL EFFECTS Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline |
| 1WEW | WHEELBASE RANGE 197" (500cm) Through and Including 264" (670cm) |
| 2AGE | AXLE, FRONT NON-DRIVING {Dana Spicer E-1202W} Wide Track, I-Beam Type, 12,000-lb Capacity |
| 3ADC | SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers |
| 4091 | BRAKE SYSTEM, AIR Dual System for Straight Truck Applications |
| | <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6 |
| 4732 | DRAIN VALVE {Berg} with Pull Chain, for Air Tank |
| 4AZA | AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System |
| 4EBT | AIR DRYER {Bendix AD-IP} with Heater |
| 4EXP | BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 Sqn |
| 4EXU | BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Sqn Spring Brake |
| 4LAA | SLACK ADJUSTERS, FRONT {Haldex} Automatic |
| 4LGA | SLACK ADJUSTERS, REAR {Haldex} Automatic |
| 4SPA | AIR COMPRESSOR {Cummins} 18.7 CFM |
| 4VKC | AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab |
| 4VKJ | AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail |
| 4WBX | DUST SHIELDS, FRONT BRAKE for Air Cam Brakes |
| 4WDM | DUST SHIELDS, REAR BRAKE for Air Cam Brakes |
| 4XDC | BRAKES, FRONT {Meritor 15X4 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 15" X 4", 13,200-lb Capacity |
| 4XDR | BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle |
| 5708 | STEERING COLUMN Tilting |

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| 5CAW | STEERING WHEEL 4-Spoke; 18" Dia., Black |
| 5PSA | STEERING GEAR {Sheppard M100} Power |
| 6DGG | DRIVELINE SYSTEM {Dana Spicer} 1710, for 4x2/6x2 |
| 7BEV | AFTERTREATMENT COVER Steel, Black |
| 7BLV | EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab |
| 8000 | ELECTRICAL SYSTEM 12-Volt, Standard Equipment |
| | <u>Includes</u> |
| | : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab |
| | : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel |
| | : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever |
| | : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light |
| | : STARTER SWITCH Electric, Key Operated |
| | : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector |
| | : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature |
| | : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever |
| | : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted |
| | : WIRING, CHASSIS Color Coded and Continuously Numbered |
| 8541 | HORN, ELECTRIC (2) Disc Style |
| 8718 | POWER SOURCE Cigar Type Receptacle without Plug and Cord |
| 8GXD | ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense |
| 8HAB | BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn |
| 8MSL | BATTERY SYSTEM {Fleetrite 31-PC2120 AGM} Maintenance-Free, (3) AGM 12-Volt 2775CCA Total, Top Threaded Stud |
| 8RMZ | SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars |
| 8RPT | RADIO AM/FM/WB/Clock/USB Input/Auxiliary Input |
| 8THB | BACK-UP ALARM Electric, 102 dBA |
| 8VUL | BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab |
| 8WGL | WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time |
| 8WPH | CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade |
| 8WPZ | TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights |
| 8WRB | HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on |
| 8WTK | STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection |
| 8WWJ | INDICATOR, LOW COOLANT LEVEL with Audible Alarm |
| 8WXD | ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened |
| 8XAH | CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses |

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| 8XGT | TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender |
| 8XHR | POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) & USB Port, Located in the Instrument Panel |
| 9AAB | LOGOS EXTERIOR Model Badges |
| 9AAH | LOGOS EXTERIOR, ENGINE Badge Shipped Loose |
| 9HBM | GRILLE Stationary, Chrome |
| 9WBC | FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV |
| 10060 | PAINT SCHEMATIC, PT-1 Single Color, Design 100 |
| | <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WK" |
| 10761 | PAINT TYPE Base Coat/Clear Coat, 1-2 Tone |
| 10SLV | PROMOTIONAL PACKAGE Government Silver Package |
| 10WCY | SAFETY TRIANGLES |
| 10XAN | FIRE EXTINGUISHER 5 lb Class A B C |
| 10XAP | FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat |
| 11001 | CLUTCH Omit Item (Clutch & Control) |
| 12703 | ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection |
| 12EMZ | VENDOR WARRANTY, ENGINE {Cummins} B6.7 Engine, 3-Year Unlimited Miles Standard Warranty |
| 12ERL | ENGINE, DIESEL {Cummins B6.7 300} EPA 2021, 300HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 300 Peak HP (Max) |
| 12THT | FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed |
| | <u>Includes</u> : FAN Nylon |
| 12UWZ | RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler |
| | <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber |
| 12VBC | AIR CLEANER Single Element |
| 12VHP | FEDERAL EMISSIONS {Cummins B6.7} EPA, OBD and GHG Certified for Calendar Year 2021 |
| 12VXT | THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel |
| 12WZE | EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations |
| 12XBM | ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines |
| 13AVJ | TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway |

| <u>Code</u> | <u>Description</u> |
|-------------|--|
| 13WET | TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission |
| 13WLP | TRANSMISSION OIL Synthetic; 29 thru 42 Pints |
| 13WUC | ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223 |
| 13WVV | NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released |
| 13WYU | SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming |
| 13XAK | PTO LOCATION Customer Intends to Install PTO at Right Side of Transmission |
| 14AWK | AXLE, REAR, SINGLE {Dana Spicer S23-172D} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends . Gear Ratio: 4.78 |
| 14VAH | SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs |
| 14WMG | AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 30 thru 39.99 Pints |
| 15LMS | FUEL/WATER SEPARATOR 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor, Cummins Supplied on Engine |
| 15SRE | FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab |
| 15WDG | DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab |
| 16030 | CAB Conventional, Day Cab |
| 16BAM | AIR CONDITIONER with Integral Heater and Defroster |
| 16GDC | GAUGE CLUSTER Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display |
| 16HGH | GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission |
| 16HHE | GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel |
| 16HKT | IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster |
| 16JNT | SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust |
| 16LUM | SEAT, PASSENGER {National} Non Suspension, High Back with Integral Headrest, Vinyl, with Fixed Back, with Under Seat Storage |
| 16SDZ | MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Side, Bright, 7.5" Sq. |
| 16SNP | MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width |
| | <u>Notes</u> |
| | : Mirror Dimensions are Rounded to the Nearest 0.5" |
| 16SNW | MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5" |
| 16VKK | CAB INTERIOR TRIM Diamond, for Day Cab |
| | <u>Includes</u> |
| | : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger |

| <u>Code</u> | <u>Description</u> |
|-------------|--|
| | : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted |
| | : SUN VISOR (3) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side |
| 16WJU | WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature |
| 16WLS | FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood |
| 16WSK | CAB REAR SUSPENSION Air Bag Type |
| 16XJN | INSTRUMENT PANEL Flat Panel |
| 16ZBT | ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab |
| 27DTU | WHEELS, FRONT {Accuride 29001} DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs |
| 28DUW | WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs |
| 29WLK | WHEEL BEARING, FRONT, LUBE {EmGard FE-75W-90} Synthetic Oil |
| 60AAA | BDY INTG, REMOTE POWER MODULE Mounted Under Cab or On Battery Box, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches |
| 60ABE | BDY INTG, PTO ACCOMMODATION for Electric over Hydraulic PTO, Does Not Include Solenoids, with Latched Switch Mounted on Dash Includes Audible Alarm and Indicator Light in Gauge Cluster (Requires 1 Remote Power Module input & 1 output) |
| 7372135415 | (2) TIRE, FRONT 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position |
| 7382139059 | (4) TIRE, REAR 11R22.5 Load Range H R268 ECOPIA (BRIDGESTONE), 500 rev/mile, 75 MPH, All-Position |

Services Section:

| | |
|-------|--|
| 40128 | WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A |
| 1 | Bergkamp FP5 Flameless Patcher |